

Tobacco-Related Literature on Asian Americans, Native Hawaiians, and Pacific Islanders

Cessation

Abdullah AS, Lam TH, Chan SS, Hedley AJ. (2006). Smoking cessation among Chinese young smokers: does gender and age difference matter and what are the predictors? *Addictive Behaviors*, 31(5), 913-21.

Burgess D, Fu SS, Joseph AM, Hatsukami DK, Solomon J, Van Ryn M. (2008). Understanding Smoking and Cessation among Hmong Smokers. *Journal of Health Care for the Poor and Underserved*, 19(2), 442-451.

Center for Disease Control and Prevention. (2005). Tobacco Use and Cessation Counseling – Global Health Professionals Survey Pilot Study, 10 Countries. *Morbidity and Mortality Weekly Report*, 54(20), 505-509.

Center for Disease Control and Prevention. (2005). Cigarette Smoking Among Adults – United States, 2003. *Morbidity and Mortality Weekly Report*, 54(20), 509-513.

Chen MS Jr. (2001). The status of tobacco cessation research for Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 9(1), 61-5.

Chen MS Jr., Guthrie R, Moeschberger M, Wewers ME, Anderson J, Kuun P, Nguyen H. (1993). Lessons learned and baseline data from initiating smoking cessation research with Southeast Asian adults. *Asian American and Pacific Islander Journal of Health*, 1(2), 194-214.

Chen MS Jr., Tang H. (2007). Review of smoking cessation research among Asian Americans: the state of the research. *Nicotine & Tobacco Research*, 9(3), S485-S493.

Ferketich AK, Wewers ME, Kwong K, Louie E, Moeschberger ML, Tso A, Chen MS Jr. (2004). Smoking cessation interventions among Chinese Americans: The role of families, physicians, and the media. *Nicotine & Tobacco Research*, 6(2), 241-248.

Garcia GM, Romero RA, Maxwell AE. (2010). Correlates of smoking cessation among Filipino immigrant men. *Journal of Immigrant and Minority Health*, 12(2), 259-62.

Groth-Marnat G, Leslie S, Renneker M. (1996). Tobacco Control in a traditional Fijian village: Indigenous methods of smoking cessation and relapse prevention. *Soc Sci Med*, 43(4), 473-477.

Hofstetter CR, Hovell MF, Irvin VL, Ayers JW, Hughes SC, Kang S. (2010). It's others, not the police: smoking, reprimand, and fines among adults of Korean descent in California. *Health Psychology*, 29(3), 255-61.

Ji M, Hofstetter CR, Hovell M, Irvin V, Song YJ, Lee J, Park H, Paik HY. (2005). Smoking cessation patterns and predictors among adult Californians of Korean descent. *Nicotine & Tobacco Research*, 7(1), 59-69.

Kaholokula JK, Braun KL, Santos JI, Chang HK. (2008). Culturally Informed Smoking Cessation Strategies for Native Hawaiians. *Nicotine & Tobacco Research*, 10(4), 671-681.

Kim SS. (2008). Predictors of Short-Term Smoking Cessation Among Korean American Men. *Public Health Nursing*, 25(6), 516-525.

King TK, Borrelli B, Black C, Pinto BM, Marcus BH. (1997). Minority women and tobacco: implications for smoking cessation interventions. *Annals of Behavior Medicine*, 19(3), 301-13.

Kwong K, Ferketich AK, Wewers ME, Shek A, Tsang T, Tso A. (2009). Development and Evaluation of a Physician-Led Smoking Cessation Intervention for Low-Income Chinese Americans. *The Journal of Smoking Cessation*, 4(2), 92-98.

Lafferty CK, Heaney CA, Chen MS Jr. (1999). Assessing decisional balance for smoking cessation among Southeast Asian males in the US. *Health Education Research: Theory & Practice*, 139-46.

Lai KQ, McPhee SJ, Jenkins C, Wong C. (2000). Applying the Quit & Win contest model in the Vietnamese community in Santa Clara County. *Tobacco Control*, 9 (Suppl III), ii56-ii59.

Leung LY. (1998). Community-Based Tobacco Cessation Programs. *Asian American and Pacific Islander Journal of Health*, 6(2), 253-254.

Ma GX, Fang C, Shive SE, Su X, Toubbeh JI, Miller S, Tan Y. (2005). A culturally enhanced smoking cessation study among Chinese and Korean smokers. *The International Electronic Journal of Health Education*, 8, 1-10.

Ma GX, Shive SE, Tan Y, Thomas P, Man VL. (2004). Development of a culturally appropriate smoking cessation program for Chinese-American youth. *J Adolesc Health*, 35(3), 206-16.

McPhee SJ, Jenkins CNH, Wong C, Fordham D, Ky QL, Bird JA, Moskowitz JM. (1995). Smoking cessation intervention among Vietnamese Americans: A Controlled Trial. *Tobacco Control*, 4(Sup 1), S16-S24.

Shelley D, Nguyen N, Peng Cha-Hui, Chin M, Chang MD, Fahs M. (2008). Increasing Access to Evidence-Based Smoking Cessation Treatment: Effectiveness of a Free Nicotine Patch Program Among Chinese Immigrants. *Journal of Immigrant and Minority Health*, 12(2), 198-205.

Spigner C, Yip MP, Huang B, Tu SP. (2001). Chinese and Vietnamese adult male smokers' perspectives regarding facilitators of tobacco cessation behavior. *Asian Pacific Journal of Cancer Prevention*, 8(3), 429-35.

Tong EK, Tang H, Chen MS, McPhee SJ. (2011). Provider smoking cessation advice among California Asian-American smokers. *Asian Journal of Health Promotion*, 25(5 Supplement), S70-S74.

Tsoh JY, Tong EK, Gildengorin G, Nguyen TT, Modayil MV, Wong C, McPhee SJ. (2011). Individual and family factors associated with intention to quit among male Vietnamese American smokers: Implications for intervention development. *Addictive Behaviors*, 36(4), 294-301.

Tu SP, Walsh M, Tseng B, Thompson B. (2000). Tobacco use by Chinese American men: an exploratory study of the factors associated with cigarette use and smoking cessation. *Asian American and Pacific Islander Journal of Health*, 8(1), 46-57.

Wiecha JM, Lee V, Hodgkins J. (1998). Patterns of smoking, risk factors for smoking, and smoking cessation among Vietnamese men in Massachusetts (United States). *Tobacco Control*, 7, 27-34.

Wong CC, Tsoh JY, Tong EK, Hom FB, Cooper B, Chow EA. (2008). The Chinese Community Smoking Cessation Project: A Community Sensitive Intervention Trial. *Journal of Community Health*, 33, 363-373.

Wu D, Ma GX, Zhou K, Zhou D, Liu A, Poon AN. (2009). The effect of a culturally tailored smoking cessation for Chinese American smokers. *Nicotine & Tobacco Research*, 11(12), 1448-57. [Epub 2009 Nov 13]

Yang T, Fisher KJ, Li F, Danaher BG. (2006). Attitudes to smoking cessation and triggers to relapse among Chinese male smokers. *BMC Public Health*, 6, 65.

Zhu SH. (1998). Tobacco Control Section California Helpline for Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 6(2), 260-261.

Zhu SH, Anderson CM, Johnson CE, Tedeschi G, Roeseler A. (2000). A centralized telephone service for tobacco cessation: the California experience. *Tobacco Control*, 9(Suppl II), ii48-ii55.

Zhu SH, Wong S, Stevens C, Nakashima D, Gamst A. (2010). Use of a smokers' quitline by Asian language speakers: results from 15 years of operation in California. *American Journal of Public Health*, 100(5), 846-52. [Epub 2010 Mar 18]

Zhu SH, Wong S, Tang H, Shi CW, Chen MS Jr. (2007). High quit ratio among Asian immigrants in California: Implications for population tobacco cessation. *Nicotine & Tobacco Research*, 9(3), S505-S514.

Environmental Tobacco Smoke / Secondhand Smoke

Antin T, Lee J, Moore R, et al. (2008). Law in practice: obstacles to a smokefree workplace policy in bars serving Asian patrons. *J immigr Minor Health*, 12(2), 221-227.

Ayers JW, Hofstetter CR, Hughes SC, Park H, Paik HY, Irvin VL, et al. (2010). Smoking on both sides of the pacific: home smoking restrictions and secondhand smoke exposure among Korean adults and children in Seoul and California. *Nicotine Tob Res*, 12(11), 1142-50.

Brugge D, Dejong W, Hyde J, Le Q, Shih CS, Wong A, Tran A. (2002). Development of targeted message concepts for recent Asian immigrants about secondhand smoke. *J Health Commun*, 7(1), 25-37.

Gilpin EA, White MM, Farkas AJ, Pierce JP. (1999). Home smoking restrictions: which smokers have them and how they are associated with smoking behavior. *Nicotine & Tobacco Research*, 1(2), 153-62.

Hughes SC, Corcos IA, Hofstetter CR, Hovell MF, Irvin VL. (2007). Environmental Tobacco Smoke Exposure Among Korean American Nonsmokers in California. *Nicotine & Tobacco Research*, 10(4), 663-670.

Hughes SC, Usita PM, Hovell MF, Richard Hofstetter C. (2010). Reactions to Secondhand Smoke by Nonsmokers of Korean Descent: Clash of Cultures? *J Immigr Minor Health*, [Epub ahead of print].

Jee SH, Ohrr H, Kim IS. (1999). Effects of husbands' smoking on the incidence of lung cancer in Korean women. *International Journal of Epidemiology*, 28, 824-828.

Ma GX, Shive SE, Tan Y, Toubbeh JI, Fang CY, Edwards RL. (2005). Tobacco use, secondhand smoke exposure and their related knowledge, attitudes and behaviors among Asian Americans. *Addict Behav*, 30(4), 725-40.

Ma GX, Tan Y, Fang CY, Toubbeh JI, Shive SE. (2005). Knowledge, attitudes and behavior regarding secondhand smoke among Asian Americans. *Prev Med*, 41(2), 446-53.

Shelley D, Yerneni R, Hung D, Das D, Fahs M. (2007). The relative effect of household and workplace smoking restriction on health status among Chinese Americans living in New York City. *J Urban Health*, 84(3), 360-71.

Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking Behaviors Among Immigrant Asian Americans: Rules for Smoke-Free Homes. *American Journal of Preventative Medicine*, 35(1), 64-67.

Tong EK, Tang H, Tsoh J, Wong C, Chen MS. (2009). Smoke-Free Policies Among Asian-American Women: Comparisons by Education Status. *American Journal of Preventative Medicine*, 37(2S), S144-S150.

Tobacco Industry Targeting

Acevedo-Garcia D, Barbeau E, Bishop JA, Pan J, Emmons KM. (2004). Undoing an Epidemiological Paradox: The Tobacco Industry's Targeting of US Immigrants. *Am J Public Health*, 94(12), 2188-2193.

Chen X, Cruz TB, Schuster DV, Unger JB, Johnson CA. (2002). Receptivity to pro-tobacco media and its impact on cigarette smoking among ethnic minority youth in California. *Journal of Health Communications, 7(2)*, 95-111.

Feighery E, Borzekowski DLG, Schooler C, Flora J. (1998). Seeing, Wanting, Owning: The relationship between receptivity to tobacco marketing and smoking susceptibility in young people. *Tobacco Control, 7(2)*, 123-128.

Glanz K, Sutton NM, Jacob Arriola KR. (2006). Operation Storefront Hawaii: Tobacco Advertising and Promotion in Hawaii Stores. *Journal of Health Communication, 11*, 699-707.

Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: Using Participatory Research to Address the Health Needs of South Asian and Korean Americans in New York City. *Cancer Supplement, 104(12)*, 2931-2936.

Muggli ME, Pollay RW, Lew R, Joseph AM. (2002). Targeting of Asian Americans and Pacific Islanders by the tobacco industry: results from the Minnesota Tobacco Document Depository. *Tobacco Control, 11*, 201-209.

Stoddard JL, Johnson CA, Sussman S, Dent C, Boley-Cruz T. (1998). Tailoring outdoor tobacco advertising to minorities in Los Angeles County. *J Health Commun, 3(2)*, 137-46.

West JH, Romero RA, Trinidad DR. (2007). Adolescent Receptivity to Tobacco Marketing by Racial/Ethnic Groups in California. *American Journal of Preventative Medicine, 33(2)*, 121-123.

Willey MB, Young RL, Elder JP, de Moor C, Wolf KR, Fiske KE, Sharp E. (1992). Cigarette Point-of-Sale Advertising in Ethnic Neighborhoods in San Diego, California. *Health Values, 16(1)*, 23-28.

Youth

Abdullah AS, Lam TH, Chan SS, Hedley AJ. (2006). Smoking cessation among Chinese young smokers: does gender and age difference matter and what are the predictors? *Addictive Behaviors, 31(5)*, 913-21.

Last Updated: 07/08/2011

Appleyard J, Messeri P, Haviland ML. (2001). Smoking among Asian-American and Hawaiian/Pacific Islander Youth: Data from the 2000 National Youth Tobacco Survey. *Asian American and Pacific Islander Journal of Health, 9(1)*, 5-14.

Chen X, Cruz TB, Schuster DV, Unger JB, Johnson CA. (2002). Receptivity to protobacco media and its impact on cigarette smoking among ethnic minority youth in California. *Journal of Health Communications, 7(2)*, 95-111.

Chen X, Unger JB. (1999). Hazards of smoking initiation among Asian American and non-Asian adolescents in California: A survival model analysis. *Prev Med, 28*, 589-99.

Chen X, Unger JB, Cruz TB, et al. (1999). Smoking patterns of Asian American youth in California and their relationship with acculturation. *J Adol Health, 24*, 321-8.

Chen X, Unger JB, Johnson C. (1999). Is acculturation a risk factor for early smoking initiation among Chinese American minors? A comparative perspective. *Tob Control, 8(4)*, 402-10.

Commonwealth of Northern Mariana Islands Youth Tobacco Survey (YTS) Fact Sheet. (2000). Retrieved February 24, 2003, from <http://www.cdc.gov/>.

Crawford MA, Balch GI, Mermelstein R; Tobacco Control Network Writing Group. (2002). Responses to tobacco control policies among youth. *Tob Control, 11(1)*, 14-9.

Else IRN, Goebert DA, Nishimura ST, Braun KL. (2008). Smoking is the Least of Our Problems: Focus Group Findings from Native Hawaiian Youth. *Hūlili: Multidisciplinary Research on Hawaiian Well-Being, 5*, 287-314.

Else IRN, Hishinuma ES, Goebert DA, Nishimura ST, Baker S. (2008). Predicting cigarette use among Hawai'i Adolescents. *School Psychology International, 29(2)*, 230-247.

Feighery E, Borzekowski DLG, Schooler C, Flora J. (1998). Seeing, Wanting, Owning: The relationship between receptivity to tobacco marketing and smoking susceptibility in young people. *Tobacco Control, 7(2)*, 123-128.

Ferketich AK, Kwong K, Shek A, Lee M. (2007). Design and evaluation of a tobacco-prevention program targeting Chinese American youth in New York City. *Nicotine & Tobacco Research, 9(2)*, 249-56.

Glanz K, Lunde KB, Leakey T, Maddock J, Koga K, Yamauchi J, Maskarinec G, Shigaki D. (2009). Activating multi-ethnic youth for smoking prevention: Design, baseline findings, and implementation of project SPLASH. *Journal of Cancer Education, 22(1)*, 56-61.

Glanz K, Mau M, Steffen A, Maskarinec G, Arriola KJ. (2007). Tobacco use Among Native Hawaiian middle school students its prevalence, correlates and implications. *Ethnic Health, 12(3)*, 227-44.

Glanz K, Sutton NM, Jacob Arriola KR. (2006). Operation Storefront Hawaii: Tobacco Advertising and Promotion in Hawaii Stores. *Journal of Health Communication, 11*, 699-707.

Grunbaum J, Lowry R. (2000). Prevalence of health risk behaviors among Asian American/Pacific Islander high school students. *J Adol Health, 27*, 322-30.

Hishinuma ES, Else IRN, Chang JY, Goebert DA, et al. (2006). Substance use as a robust correlate of school outcome measures for ethnically diverse adolescents of Asian/Pacific Islander ancestry. *School Psychology Quarterly, 21(3)*, 286-322.

Hsia FN, Sprujit-Metz D. (2003). The meanings of smoking among Chinese American and Taiwanese American college students. *Nicotine & Tobacco Research, 5(6)*, 837-50.

Ichiho HM. (2004). Tobacco use prevention and control: implications for Native Hawaiian communities. *Pacific Health Dialog, 11(2)*, 131-138.

Kershaw JM. (2001). AAPI youth tobacco use: a comparative analysis of current cigarette use data from Florida, Texas, and National Youth Tobacco Surveys. *Asian American and Pacific Islander Journal of Health, 9(1)*, 22-31.

Knight J, Chapman S. (2004). "Asian yuppies...are always looking for something new and different": Creating a tobacco cultural among young Asians. *Tobacco Control, 13(Supp II)*, ii22-ii29.

Lee JP, Battle RS, Lipton R, Soller B. (2010). 'Smoking': use of cigarettes, cigars and blunts among Southeast Asian American youth and young adults. *Health Educ Res, 25 (1)*, 83-96.

Ma GX, Shive SE, Tan Y, Thomas P, Man VL. (2004). Development of a culturally appropriate smoking cessation program for Chinese-American youth. *J Adolesc Health, 35(3)*, 206-16.

Mermelstein R. (1999). Explanations of ethnic and gender differences in youth smoking: a multi-site, qualitative investigation. The Tobacco Control Network Writing Group. *Nicotine Tob Res*, 1(Subbl 1), S91-98.

Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol*, 28(4), 448-56.

Otsuki M. (2009). Social connectedness and smoking behaviors among Asian American college students: An electronic diary study. *Nicotine & Tobacco Research*, 11(4), 418-426.

Otsuki M, Tinsley BJ, Chao RK, Unger JB. (2008). An ecological perspective on smoking among Asian American college students: the roles of social smoking and smoking motives. *Psychol Addict Behav*, 22(4), 514-23.

Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Chinese Student Results. *Hawaii Department of Health*.

Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Filipino Student Results. *Hawaii Department of Health*.

Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Native Hawaiian Student Results. *Hawaii Department of Health*.

Report on the Asian American Youth Against Tobacco (AAYAT) Youth Tobacco Survey (2004). Retrieved December 6, 2004, from www.aayat.org/report.html

Spigner C, Gran-O'Donnell S. (2001). Establishing baseline information on cigarette smoking behavior from ethnic-specific groups of Asian American and Pacific Islander youth in Seattle, Washington, 1996-1998. *Asian American and Pacific Islander Journal of Health*, 9(1), 34-9.

Wiecha JM. (1996). Differences in patterns of tobacco use in Vietnamese, African-American, Hispanic, and Caucasian adolescents in Worcester, Massachusetts. *American Journal of Preventative Medicine*, 12(1), 29-37.

Weiss JW, Garbanati JA, Tanjasiri SP, Xie B, Palmer PH. (2006). Effects of family functioning and self-image on adolescent smoking initiation among Asian-American subgroups. *J Adolesc Health, 39(2)*, 221-8.

West JH, Romero RA, Trinidad DR. (2007). Adolescent Receptivity to Tobacco Marketing by Racial/Ethnic Groups in California. *American Journal of Preventative Medicine, 33(2)*, 121-123.

Yu M, Hahm HC, Vaughn MG. (2010). Intrapersonal and interpersonal determinants of smoking status among Asian American adolescents: finds from a national sample. *Nicotine & Tobacco Research, 12(8)*, 801-9.

Asian American, Native Hawaiian, and Pacific Islander Tobacco Use

Acevedo-Garcia D, Pan J, Jun H, et al. (2005). The effect of immigrant generation on smoking. *Soc Sci Med, 61(6)*, 1223-42.

An N, Cochran SD, Mays VM, McCarthy WJ. (2008). Influence of American acculturation on cigarette smoking behaviors among Asian American subpopulations in California. *Nicotine & Tobacco Research, 10(4)*, 579-87.

Baluja K, Park J, Myers D. (2003). Inclusion of immigrant status in smoking prevalence statistics. *American Journal of Public Health, 93(4)*, 642-6.

Chae DH, Gavin AR, Takeuchi DT. (2006). Smoking prevalence among Asian Americans: Findings from the National Latino and Asian American Study (NLAAS). *Public Health Rep, 121(6)*, 755-763.

Chae DH, Takeuchi DT, Barbeau EM, Bennett GG, Lindsey J, Krieger N. (2008). Unfair Treatment, Racial/Ethnic Discrimination, Ethnic Identification, and Smoking Among Asian Americans in the National Latino and Asian American Study. *American Journal of Public Health, 98*, 485-492.

Chen MS Jr. (2001). The status of tobacco cessation research for Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health, 9(1)*, 61-5.

Choi S, Rankin S, Stewart A, Oka R. (2008). Effects of Acculturation on Smoking Behavior in Asian Americans: A Meta-Analysis. *Journal of Cardiovascular Nursing, 23(1)*, 67-73.

Last Updated: 07/08/2011

De Castro AB, Garcia G, Gee GC, Tsai JHC, Rue T, Takeuchi DT. (2010). Smoking and the Asian American Workforce in the National Latino and Asian American Study. *American Journal of Industrial Medicine*, 53, 171-178.

Kaholokula JK, Braun KL, Kana'iaupuni SK, Grandinetti A, Chang HK. (2006). Ethnic-by-gender differences in cigarette smoking among Asian and Pacific Islanders. *Nicotine & Tobacco Research*, 8(2), 275-286.

Kandula NR, Wen M, Jacobs EA, Lauderdale DS. (2009). Association Between Neighborhood Context and Smoking Prevalence Among Asian Americans. *American Journal of Public Health*, 99(5), 885-892.

Kim SS, Ziedonis D, Chen KW. (2007). Tobacco use and dependence in Asian Americans: a review of the literature. *Nicotine & Tobacco Research*, 9(2), 169-84.

Legacy. (2010). Asian Americans and Smoking Fact Sheet. Retrieved February 1, 2010, from www.legacyforhealth.org.

Leistikow BN, Chen M, Tsodikov A. (2006). Tobacco smoke overload and ethnic, state, gender, and temporal cancer mortality disparities in Asian-Americans and Pacific Islander-Americans. *Prev Med*, 42(6), 430-434.

Lew R. (2009). "Addressing the Impact of Tobacco on Asian Americans: A Model for Change." *Praeger Handbook of Asian American Health: Taking Notice and Taking Action*. Santa Barbara, CA: ABC-CLIO. 739-46.

Lew R. (1998). A National Effort to Reduce Tobacco Use among Asian Americans and Pacific Islanders. *Cancer*, 83(Issue Supplement 8), 1818-1820.

Lew R. (1998). The new paradigm for leadership in tobacco issues impacting Asian Americans and Pacific Islanders. *Asian American and Pacific Islander Journal of Health*, 6(2), 208-12.

Lew R, Tanjasiri SP. (2003). Slowing the epidemic of tobacco use among Asian Americans and Pacific Islanders. *American Journal of Public Health*, 93(5), 764-8.

Lew R, Tanjasiri SP, Singer MK and Yu JH. (2001). Using a stages of readiness model to address community capacity on tobacco control in the Asian American and Pacific Islander community. *Asian American and Pacific Islander Journal of Health*, 9(1), 66-73.

Liao Y, Tsoh JY, Chen R, Foo MA, Garvin CC, Grigg-Saito D, Liang S, McPhee S, Nguyen TT, Tran JH, Giles WH. (2010). Decrease in smoking prevalence in Asian communities served by the Racial and Ethnic Approaches to Community Health (REACH) project. *American Journal of Public Health, 100(5)*, 853-60.

Kandula NR, Wen M, Jacobs EA, Lauderdale DS. (2009). Association between neighborhood context and smoking prevalence among Asian Americans. *American Journal of Public Health, 99(5)*, 885-892.

Ma GS, Fang CY, Tan Y, Feeley RM. (2003). Perceptions of smoking among Asian Americans. *Prev Med, 37(4)*, 349-355.

Ma GS, Shive S, Tan Y, Toubbeh J. (2002). Prevalence and predictors of tobacco use among Asian Americans in the Delaware Valley region. *American Journal of Public Health, 92(6)*, 1013-1020.

Ma GX, Chu KC, Tsou W. (2002). Smoking prevention and intervention in Asian American communities: a case study. In: Ma GX, Henderson G, eds. *Ethnicity and Substance Abuse: Prevention and Intervention*, 169-188.

Ma GX, Shive SE, Tan Y, Feeley RM. (2004). The impact of acculturation on smoking in Asian American homes. *J Health Care Poor Underserved, 15(2)*, 267-80.

Ma GX, Shive SE, Tan Y, Toubbeh JI, Fang CY, Edwards RL. (2005). Tobacco use, secondhand smoke exposure and their related knowledge, attitudes and behaviors among Asian Americans. *Addict Behav, 30(4)*, 725-40.

Ma GX, Tan Y, Feeley RM, Thomas P. (2002). Perceived risks of certain types of cancer and heart disease among Asian American smokers and non-smokers. *J Community Health, 27(4)*, 233-246.

Ma GX, Tan Y, Toubbeh JI, Su X, Shive SE, Lan Y. (2004). Acculturation and smoking behavior in Asian-American populations. *Health Educ Res, 19(6)*, 615-25.

Ma GX, Toubbeh JI, Su X, Edwards RL. (2004). ATECAR: An Asian American community-based participatory research model on tobacco and cancer control. *Health Promotion and Practice, 5(4)*, 382-94.

Last Updated: 07/08/2011

Pobutsky A, St. John TL. (2010). Smoking and Tobacco Use in Hawaii: Facts, Figures and Trends. *Hawaii State Department of Health*.

Spigner C, Shigaki A, Tu S-P. (2005). Perceptions of Asian American men about tobacco cigarette consumption: a social learning theory framework. *J Immigr Health, 7(4)*, 293-303.

Suh D. (2001). Chronicle of advocacy to increase AAPI focused objectives in Healthy People 2010: implications for tobacco-related data and research. *Asian American and Pacific Islander Journal of Health, 9(1)*, 95-9.

Tang H, Shimizu R, Chen M. (2005). English language proficiency and smoking prevalence among California's Asian Americans. *Cancer, 104(12 Suppl)*, 2982-8.

Tong EK, Nguyen T, Vittinghoff E, Pérez-Stable EJ. (2009). Light and intermittent smoking among California's Asian Americans. *Nicotine & Tobacco Research, 11(2)*, 197-202.

Tong EK, Nguyen TT, Vittinghoff E, Pérez-Stable EJ. (2008). Smoking Behaviors Among Immigrant Asian Americans: Rules for Smoke-Free Homes. *American Journal of Preventative Medicine, 35(1)*, 64-67.

Tong EK, Tang H, Chen MS, McPhee SJ. (2011). Provider smoking cessation advice among California Asian-American smokers. *Asian Journal of Health Promotion, 25(5 Supplement)*, S70-S74.

Trinidad DR, Gilpin EA, Lee L, Pierce JP. (2004). Do the majority of Asian-American and African-American smokers start as adults? *American Journal of Preventative Medicine, 26(2)*, 156-8.

U.S. Department of Health and Human Services. (1998). Tobacco Use Among U.S. Racial/Ethnic Minority Groups – African Americans, American Indians and Alaska Natives, Asian Americans and Pacific Islanders, and Hispanics: A Report of the Surgeon General. *U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health*.

Vander MRV, Cummings S, Coates RJ. (1990). Ethnicity and smoking: differences in white, black, Hispanic, and Asian medical patients who smoke. *American Journal of Preventative Medicine, 6(4)*, 194-9.

Zhang J, Wang Z. (2008). Factors associated with smoking in Asian American adults: A systematic review. *Nicotine & Tobacco Research*, 10(5), 791-801.

Chinese Americans

Abdullah AS, Lam TH, Chan SS, Hedley AJ. (2006). Smoking cessation among Chinese young smokers: does gender and age difference matter and what are the predictors? *Addictive Behaviors*, 31(5), 913-21.

Averbach AR, Lan D, Lam L-P, Sharfstein J, Cohen B, Koh H. (2002). Smoking behaviours and attitudes among male restaurant workers in Boston's Chinatown: A pilot study. *Tobacco Control*, 11(Suppl II), ii34-ii37.

Benowitz NL, Perez-Stable EJ, Herrera B, Jacob P 3rd. (2002). Slower metabolism and reduced intake of nicotine from cigarette smoking in Chinese-Americans. *J Natl Cancer Inst*, 94(2),108-15.

Cantrell J, Hung D, Fahs MC, Shelley D. (2008). Purchasing Patterns and Smoking Behaviors After a Large Tobacco Tax Increase: A Study of Chinese Americans Living in New York City. *Public Health Rep*, 123(2), 135-146.

Carr K, Beers M, Kassebaum T, Chen MS. (2005). California Chinese American Tobacco Use Survey—2004. *California Department of Health Services*.

Center for Disease Control and Prevention. (1992). Cigarette smoking among Chinese, Vietnamese, and Hispanics-California, 1989-1991. *Morbidity and Mortality Weekly Report*, 41(20), 362-67.

Chen MS Jr., Ferketich AK, Moeschberger M, Wewers ME. (2001). Preparing the "Ground War" against tobacco among Chinese Americans in New York City. *Asian American and Pacific Islander Journal of Health*, 9(1), 88-94.

Chen X, Unger JB, Johnson C. (1999). Is acculturation a risk factor for early smoking initiation among Chinese American minors? A comparative perspective. *Tobacco Control*, 8(4), 402-10.

Ferketich AK, Kwong K, Shek A, Lee M. (2007). Design and evaluation of a tobacco-prevention program targeting Chinese American youth in New York City. *Nicotine & Tobacco Research*, 9(2), 249-56.

Ferketich AK, Wewers ME, Kwong K, Louie E, Moeschberger ML, Tso A, Chen MS Jr. (2004). Smoking cessation interventions among Chinese Americans: The role of families, physicians, and the media. *Nicotine & Tobacco Research*, 6(2), 241-248.

Fu SS, MA GS, Tu SM, Sui PT, Metlay JP. (2003). Cigarette smoking among Chinese Americans and the influence of linguistic acculturation. *Nicotine & Tobacco Research*, 5(6), 803-811.

Hsia FN, Sprujit-Metz D. (2003). The meanings of smoking among Chinese American and Taiwanese American college students. *Nicotine & Tobacco Research*, 5(6), 837-50.

Hu KK, Wodall ED, Do HH, Tu SP, Thompson B, Acorda E, et al. (2006). Tobacco knowledge and beliefs in Chinese American men. *Asian Pac J Cancer Prev*, 7, 434-8.

Hu SS, Pallonen EU, Meshack AF. (2007). The Impact of Immigration Status on Tobacco Use among Chinese-American Adults in Texas. *Journal of Immigrant and Minority Health*, 12(2), 206-214.

Kwong K, Ferketich AK, Wewers ME, Shek A, Tsang T, Tso A. (2009). Development and Evaluation of a Physician-Led Smoking Cessation Intervention for Low-Income Chinese Americans. *The Journal of Smoking Cessation*, 4(2), 92-98.

Ma GX, Fang C, Shive SE, Su X, Toubbeh JI, Miller S, Tan Y. (2005). A culturally enhanced smoking cessation study among Chinese and Korean smokers. *The International Electronic Journal of Health Education*, 8, 1-10.

Ma GX, Shive SE, Tan Y, Thomas P, Man VL. (2004). Development of a culturally appropriate smoking cessation program for Chinese-American youth. *J Adolesc Health*, 35(3), 206-16.

Maxwell AE, Bernaards CA, McCarthy WJ. (2005). Smoking prevalence and correlates among Chinese- and Filipino-American adults: Findings from the 2001 California Health Interview Survey. *Preventative Medicine*, 41(2), 693-699.

Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol*, 28(4), 448-56.

Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Chinese Student Results. *Hawaii Department of Health*.

Shelley D, Fahs M, Scheinmann R, Swain S, Qu J, Burton. (2004). Acculturation and tobacco use among Chinese Americans. *American Journal of Public Health*, 94(2), 300-7.

Shelley D, Fahs MC, Yerneni R, Das D, et al. (2008). Effectiveness of tobacco control among Chinese Americans: a comparative analysis of policy approaches versus community-based programs. *Preventative Medicine*, 47(5), 530-536.

Shelley D, Fahs MC, Yerneni R, Qu J, Burton D. (2006). Correlates of household smoking bans among Chinese Americans. *Nicotine & Tobacco Research*, 8(1), 103-12.

Shelley D, Nguyen N, Peng Cha-Hui, Chin M, Chang MD, Fahs M. (2008). Increasing Access to Evidence-Based Smoking Cessation Treatment: Effectiveness of a Free Nicotine Patch Program Among Chinese Immigrants. *Journal of Immigrant and Minority Health*, 12(2), 198-205.

Shelley D, Yerneni R, Hung D, Das D, Fahs M. (2007). The relative effect of household and workplace smoking restriction on health status among Chinese Americans living in New York City. *J Urban Health*, 84(3), 360-71.

Spigner C, Yip MP, Huang B, Tu SP. (2001). Chinese and Vietnamese adult male smokers' perspectives regarding facilitators of tobacco cessation behavior. *Asian Pacific Journal of Cancer Prevention*, 8(3), 429-35.

Thridandam M, Fong W, Jang M, Louie L, Forst M. (1998). A tobacco and alcohol use profile of San Francisco's Chinese community. *Journal of Drug Education*, 28, 377-393.

Tsoh HY, Lam JN, Delucchi KL, Hall SM. (2003). Smoking and depression in Chinese Americans. *Am J Med Sci*, 326(4), 187-191.

Tu SP, Walsh M, Tseng B, Thompson B. (2000). Tobacco use by Chinese American men: an exploratory study of the factors associated with cigarette use and smoking cessation. *Asian American and Pacific Islander Journal of Health, 8(1)*, 46-57.

Wong CC, Tong EK, Tsoh JY, Chen MJ, Hom FB. (2009). Patterns of Tobacco-Use Behavior Among Chinese Smokers with Medical Conditions. *J Community Health, 34*, 472-479.

Wong CC, Tsoh JY, Tong EK, Hom FB, Cooper B, Chow EA. (2008). The Chinese Community Smoking Cessation Project: A Community Sensitive Intervention Trial. *Journal of Community Health, 33*, 363-373.

Wu D, Ma GX, Zhou K, Zhou D, Liu A, Poon AN. (2009). The effect of a culturally tailored smoking cessation for Chinese American smokers. *Nicotine & Tobacco Research, 11(12)*, 1448-57. [Epub 2009 Nov 13]

Yang T, Fisher KJ, Li F, Danaher GB. (2006). Attitudes to smoking cessation and triggers to relapse among Chinese male smokers. *BMC Public Health, 6*, 65.

Yu ES, Chen EH, Kim KK, Abdulrahim S. (2002). Smoking among Chinese Americans: behavior, knowledge, and beliefs. *American Journal of Public Health, 92(6)*, 1007-12.

Filipino Americans

Ehlert MB, Gumataotao AP, Workman RL, Albright CL, David AM. (2006). Community leader support for tobacco control activities and policies on Guam. *Pac Health Dialog, 13(2)*, 71-8.

Garcia GM, Romero RA, Maxwell AE. (2010). Correlates of smoking cessation among Filipino immigrant men. *Journal of Immigrant and Minority Health, 12(2)*, 259-62.

Hishinuma ES, Else IRN, Chang JY, Goebert DA, et al. (2006). Substance use as a robust correlate of school outcome measures for ethnically diverse adolescents of Asian/Pacific Islander ancestry. *School Psychology Quarterly, 21(3)*, 286-322.

Kaholokula JK, Braun KL, Kana'iaupuni SK, Grandinetti A, Chang HK. (2006). Ethnic-by-gender differences in cigarette smoking among Asian and Pacific Islanders. *Nicotine & Tobacco Research, 8(2)*, 275-286.

Last Updated: 07/08/2011

Maxwell AE, Bernaards CA, McCarthy WJ. (2005). Smoking prevalence and correlates among Chinese- and Filipino-American adults: Findings from the 2001 California Health Interview Survey. *Preventative Medicine, 41*(2), 693-699.

Maxwell AE, Garcia GM, Berman BA. (2007). Understanding tobacco use among Filipino American men. *Nicotine & Tobacco Research, 9*(7), 769-76.

Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Filipino Student Results. *Hawaii Department of Health*.

Pobutsky A, St. John TL. (2010). Smoking and Tobacco Use in Hawaii: Facts, Figures and Trends. *Hawaii State Department of Health*.

Korean Americans

Ayers JW, Hofstetter CR, Hughes SC, Park H, Paik HY, Irvin VL, et al. (2010). Smoking on both sides of the pacific: home smoking restrictions and secondhand smoke exposure among Korean adults and children in Seoul and California. *Nicotine Tob Res, 12*(11), 1142-50.

Carr K, Beers M, Kassebaum T, Chen MS. (2005). California Korean American Tobacco Use Survey—2004. *California Department of Health Services*.

Centers for Disease Control and Prevention. (1997). Behavioral Risk Factor Survey of Korean Americans - Alameda County, California, 1994. *Morbidity and Mortality Weekly Report, 46*(33), 774-7.

Hofstetter CR, Hovell MF, Irvin VL, Ayers JW, Hughes SC, Kang S. (2010). It's others, not the police: smoking, reprimand, and fines among adults of Korean descent in California. *Health Psychology, 29*(3), 255-61.

Hofstetter CR, Hovell MF, Jung KR, Raman R, Irvin V, Ni R. (2007). The first puff: forces in smoking initiation among Californians of Korean descent. *Nicotine Tob Res, 9*(12), 1277-86.

Hofstetter CR, Hovell MF, Lee J, Zakarian J, Park H, Paik HY, Irvin V. (2004). Tobacco use and acculturation among Californians of Korean descent: A behavioral epidemiological analysis. *Nicotine & Tobacco Research, 6*(3), 481-489.

Hughes SC, Corcos IA, Hofstetter CR, Hovell MF, Irvin VL. (2007). Environmental Tobacco Smoke Exposure Among Korean American Nonsmokers in California. *Nicotine & Tobacco Research*, 10(4), 663-670.

Hughes SC, Corcos IA, Hofstetter CR, Hovell MF, Irvin VL. (2009). Longitudinal study of household smoking ban adoption among Korean Americans. *American Journal of Preventative Medicine*, 37(5), 437-40.

Hughes SC, Usita PM, Hovell MF, Richard Hofstetter C. (2010). Reactions to Secondhand Smoke by Nonsmokers of Korean Descent: Clash of Cultures? *J Immigr Minor Health*, [Epub ahead of print].

Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: Using Participatory Research to Address the Health Needs of South Asian and Korean Americans in New York City. *Cancer Supplement*, 104(12), 2931-2936.

Jee SH, Ohrr H, Kim IS. (1999). Effects of husbands' smoking on the incidence of lung cancer in Korean women. *International Journal of Epidemiology*, 28, 824-828.

Ji M, Hofstetter CR, Hovell M, Irvin V, Song YJ, Lee J, Park H, Paik HY. (2005). Smoking cessation patterns and predictors among adult Californians of Korean descent. *Nicotine & Tobacco Research*, 7(1), 59-69.

Juon H-S, Kim M, Han H, Ryu JP, Han W. (2003). Acculturation and cigarette smoking among Korean American men. *Yonsei Med J*, 44, 875-882.

Kim K, Yu E, Chen E, Kim J, Brintnall R, Vance S. (2000). Smoking behavior, knowledge, and beliefs among Korean Americans. *Cancer Practice*, 8(5), 223-230.

Kim SS. (2008). Predictors of Short-Term Smoking Cessation Among Korean American Men. *Public Health Nursing*, 25(6), 516-525.

Kim SS, Kwon MS, Klessig YC, Ziedonis D. (2008). Adapting Tobacco Dependence Group Therapy Treatment for Korean Americans: A Case Report of Pilot Treatment Program. *Journal of Groups in Addiction & Recovery*, 3(1), 93-108.

Kim SS, Nam KA. (2005). Korean male smokers' perceptions of tobacco control policies in the United States. *Public Health Nursing, 22(3)*, 221-229.

Kim SS, Son H, Nam KA. (2005). Personal Factors Influencing Korean American Men's Smoking Behavior: Addiction, Health, and Age. *Archives of Psychiatric Nursing, 19(1)*, 35-41.

Kim SS, Son H, Nam KA. (2005). The Sociocultural Context of Korean American Men's Smoking Behavior. *Western Journal of Nursing Research, 27*, 604-623.

Lew R, Moskowitz JM, Wismer BA, Min K, Kang SH, Chen AM, Tager IB. (2001). Correlates of cigarette smoking among Korean American adults in Alameda County, California. *Asian American and Pacific Islander Journal of Health, 9(1)*, 49-60.

Ma GX, Fang C, Shive SE, Su X, Toubbeh JI, Miller S, Tan Y. (2005). A culturally enhanced smoking cessation study among Chinese and Korean smokers. *The International Electronic Journal of Health Education, 8*, 1-10.

Ma GX, Fang CY, Knauer CA, Tan Y, Shive SE. (2006). Tobacco dependence, risk perceptions and self-efficacy among Korean American smokers. *Addictive Behaviors, 31(10)*, 1776-1784.

Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol, 28(4)*, 448-56.

Myung SK, McDonnell DD, Kazinets G, Seo HG, Moskowitz JM. (2010). Relationships between household smoking restrictions and intention to quit smoking among Korean American male smokers in California. *J Korean Med Sci, 25(2)*, 245-50.

Native Hawaiians

Appleyard J, Messeri P, Haviland ML. (2001). Smoking among Asian-American and Hawaiian/Pacific Islander Youth: Data from the 2000 National Youth Tobacco Survey. *Asian American and Pacific Islander Journal of Health, 9(1)*, 5-14.

Curb JD, Aluli NE, Kautz JA, Petrovitch H, Knutsen SF, Knutsen R, et al. (1991). Cardiovascular risk factor levels in ethnic Hawaiians. *Am J Public Health, 81(2)*, 164-7.

Last Updated: 07/08/2011

Else IRN, Goebert DA, Nishimura ST, Braun KL. (2008). Smoking is the Least of Our Problems: Focus Group Findings from Native Hawaiian Youth. *Hūlili: Multidisciplinary Research on Hawaiian Well-Being*, 5, 287-314.

Else IRN, Hishinuma ES, Goebert DA, Nishimura ST, Baker S. (2008). Predicting cigarette use among Hawai'i Adolescents. *School Psychology International*, 29(2), 230-247.

Glanz K, Mau M, Steffen A, Maskarinec G, Arriola KJ. (2007). Tobacco use Among Native Hawaiian middle school students its prevalence, correlates and implications. *Ethn Health*, 12(3), 227-44.

Hishinuma ES, Else IRN, Chang JY, Goebert DA, et al. (2006). Substance use as a robust correlate of school outcome measures for ethnically diverse adolescents of Asian/Pacific Islander ancestry. *School Psychology Quarterly*, 21(3), 286-322.

Hughes CK, Tsark JU, Kenui CK, Alexander GA. (2000). Cancer research studies in Native Hawaiians and Pacific Islanders. *Ann Epidemiol*, 10(8 Suppl), S49-60.

Hughes SC, Usita PM, Hovell MF, Hofstetter R. (2010). Reactions to Secondhand Smoke by Nonsmokers of Korean Descent: Clash of Cultures? *J Immigr Minor Health*, [Epub ahead of print May 2010].

Ichihō HM. (2004). Tobacco use prevention and control: implications for Native Hawaiian communities. *Pacific Health Dialog*, 11(2), 131-138.

Kaholokula JK, Braun KL, Kana'iaupuni SK, Grandinetti A, Chang HK. (2006). Ethnic-by-gender differences in cigarette smoking among Asian and Pacific Islanders. *Nicotine & Tobacco Research*, 8(2), 275-286.

Kaholokula JK, Braun KL, Santos JI, Chang HK. (2008). Culturally Informed Smoking Cessation Strategies for Native Hawaiians. *Nicotine & Tobacco Research*, 10(4), 671-681.

Kaholokula JK, Grandinetti A, Crabbe KM, Chang HK, Kenui CK. (1999). Depressive symptoms and cigarette smoking among Native Hawaiians. *Asia Pacific Journal of Public Health*, 11, 60-64.

Lew R. (2004). APPEAL: fighting for social justice in tobacco control among Native Hawaiians and Pacific Islanders through leadership and capacity building. *Pacific Health Dialog*, 11(2), 239-242.

Maskarinec G, Dhakal S, Pagano I, Carlin L, Goodman MT, Marchand LL, Nomura A, Wilkens LR, Kolonel LN. (2005). Ethnic differences in trends and determinants of cigarette smoking in Hawaii. *Ethn Dis*, 15, 316-323.

Myers MG, Doran NM, Trinidad DR, Wall TL, Klonoff EA. (2009). A prospective study of cigarette smoking initiation during college: Chinese and Korean American students. *Health Psychol*, 28(4), 448-56.

Pearson RS. (2003). The 2003 Hawaii Student Alcohol, Tobacco, and Other Drug Use Study: Adolescent Prevention and Treatment Needs Assessment – Native Hawaiian Student Results. *Hawaii Department of Health*.

Pobutsky A, St. John TL. (2010). Smoking and Tobacco Use in Hawaii: Facts, Figures and Trends. *Hawaii State Department of Health*.

Wright TE, Tam E. (2010). Disparate rates of persistent smoking and drug use during pregnancy of women of Hawaiian ancestry. *Ethn Dis*, 20(1 Suppl 1), S1-215-8.

Pacific Islanders

Appleyard J, Messeri P, Haviland ML. (2001). Smoking among Asian-American and Hawaiian/Pacific Islander Youth: Data from the 2000 National Youth Tobacco Survey. *Asian American and Pacific Islander Journal of Health*, 9(1), 5-14.

Commonwealth of Northern Mariana Islands Youth Tobacco Survey (YTS) Fact Sheet. (2000). Retrieved February 24, 2003, from <http://www.cdc.gov/>.

Ehlert MB, Gumataotao AP, Workman RL, Albright CL, David AM. (2006). Community leader support for tobacco control activities and policies on Guam. *Pac Health Dialog*, 13(2), 71-8.

Groth-Marnat G, Leslie S, Renneker M. (1996). Tobacco Control in a traditional Fijian village: Indigenous methods of smoking cessation and relapse prevention. *Soc Sci Med*, 43(4), 473-477.

Hubbell FA, Luce PH, Afeaki WP, Cruz LAC, McMullin JM, Mummert A, et al. (2006). Legacy of the Pacific Islander Cancer Control Network. *Cancer*, 107(8 Suppl), 2091-8.

Hughes CK, Tsark JU, Kenui CK, Alexander GA. (2000). Cancer research studies in Native Hawaiians and Pacific Islanders. *Ann Epidemiol*, 10(8 Suppl), S49-60.

Khorram MB, Bruss JB. (1999). Smoking attributable mortality among the indigenous population of the Mariana Islands. *Pacific Health Dialog*, 6(1), 45-51.

Lew R. (2004). APPEAL: fighting for social justice in tobacco control among Native Hawaiians and Pacific Islanders through leadership and capacity building. *Pacific Health Dialog* 11(2), 239-242.

Marshall M. (1991). The second fatal impact: cigarette smoking, chronic disease and the epidemiological transition in Oceania. *Soc Sci Med*, 33, 1327-43.

Mishra SI, Osann K, Luce PH. (2005). Prevalence and predictors of smoking behavior among Samoans in three geographical locations. *Ethn Dis*, 15, 305-315.

Palafox NA, Ou AC, Haberle H, Chen TH. (2001). Quantifying tobacco related health care expenditures in the Republic of the Marshall Islanders: a case study in determining health costs in developing U.S. associated island nations. *Asian American and Pacific Islander Journal of Health*, 9(1), 74-80.

Workman RL. (2001). Tobacco use among Pacific Islanders: risk-behavior surveys and data sets for the study of smoking behavior on Guam. *Asian American and Pacific Islander Journal of Health*, 9(1), 15-24.

Wu PL, Sadler GR, Nguyen V, Shi M, Cruz LA, Blas FG, et al. (2004). Cancer risk factor assessment among Chamorro men in San Diego. *J Cancer Educ*, 19(2), 111-6.

Ysaol J, Chilton JI, Callaghan P. (1996). A survey of betel nut chewing in Palau. *ISLA J Micronesian Stud*, 4, 244-255.

South Asians

Bhurgri Y, Bhurgri A, Hassan SH, Zaidi SH, Rahim A, Sankaranarayanan R, Parkin DM. (2000). Cancer incidence in Karachi, Pakistan: first results from Karachi Cancer Registry. *Int J Cancer*, 85(3), 325-9.

Delnevo CD, Steinberg MB, Hudson SV, Ulpe R, DiPaola RS. (2011). Epidemiology of cigarette and smokeless tobacco use among South Asian immigrants in the northeastern United States. *Journal of Oncology*, 2011, 8 pages.

Islam N, Kwon SC, Ahsan H, Senie RT. (2005). New York AANCART: Using Participatory Research to Address the Health Needs of South Asian and Korean Americans in New York City. *Cancer Supplement*, 104(12), 2931-2936.

McCarthy WJ, Divan H, Shah D, Maxwell A, Freed B, Bastani R, Bernaards CA, Surani Z. (2005). California Asian Indian Tobacco Survey—2004. *California Department of Health Services*.

Southeast Asian Americans

Battle RS, Lee JP, Antin TM. (2010). Knowledge of tobacco control policies among US Southeast Asians. *J Immigr Minor Health*, 12(2), 215-20.

Burgess D, Fu SS, Joseph AM, Hatsukami DK, Solomon J, Van Ryn M. (2008). Understanding Smoking and Cessation among Hmong Smokers. *Journal of Health Care for the Poor and Underserved*, 19(2), 442-451.

Centers for Disease Control and Prevention. (1992). Cigarette smoking among Chinese, Vietnamese, and Hispanics—California, 1989-1991. *MMWR*, 41(20), 362-367.

Centers for Disease Control and Prevention. (1992). Cigarette smoking among Southeast Asian immigrants—Washington State, 1989. *MMWR*, 41(45), 854-855, 861.

Chen MS Jr., Guthrie R, Moeschberger M, Wewers ME, Anderson J, Kuun P, Nguyen H. (1993). Lessons learned and baseline data from initiating smoking cessation research with Southeast Asian adults. *Asian American and Pacific Islander Journal of Health*, 1(2), 194-214.

Constantine ML, Rockwood TH, Schillo BA, Alesci N, Foldes SS, Phan T, Chhith Y, Saul JE. (2010). Exploring the relationship between acculturation and smoking behavior within four Southeast Asian communities of Minnesota. *Nicotine & Tobacco Research*, 12(7), 715-23. [Epub 2010 May]

Friis RH, Forouzesh M, Chhim HS, Monga S, Sze D. (2006). Sociocultural determinants of tobacco use among Cambodian Americans. *Health Educ Res*, 21(3), 355-365.

Jenkins CNH, McPhee SJ, Ha NT, Nam TV, Chen A. (1995). Cigarette smoking among Vietnamese immigrants in California. *American Journal of Health Promotion*, 9(4), 254-256.

Jenkins CNH, McPhee SJ, Le A, Pham GQ, Ha NT, Stewart S. (1997). The effectiveness of a media-led intervention to reduce smoking among Vietnamese-American men. *American Journal of Public Health*, 87(6), 1031-1034.

Lafferty CK, Heaney CA, Chen MS Jr. (1999). Assessing decisional balance for smoking cessation among Southeast Asian males in the US. *Health Education Research: Theory & Practice*, 14:, 139-46.

Lee JP, Battle RS, Lipton R, Soller B. (2010). 'Smoking': use of cigarettes, cigars and blunts among Southeast Asian American youth and young adults. *Health Education Research*, 25 (1), 83-96. [Epub 2009 Dec 3]

Levin B, Nachampassach S, Xiong R. (1988). Cigarette smoking and the Laotian refugee. *Migrant World*, 16(4), 33-5.

Liao Y, Tsoh JY, Chen R, Foo MA, Garvin CC, Grigg-Saito D, Liang S, McPhee S, Nguyen TT, Tran JH, Giles WH. (2010). Decrease in smoking prevalence in Asian communities served by the Racial and Ethnic Approaches to Community Health (REACH) project. *American Journal of Public Health*, 100(5), 853-60. [Epub 2010 Mar 18]

Moeschberger M, Anderson J, Kuo Y-F, Chen MS Jr., Wewers ME, Guthrie R. (1997). Multivariate profile of smoking in Southeast Asian men: A biochemically verified analysis-multivariate smoking profile. *Prev Med*, 26, 53-8.

Pickwell SM, Schimelpfening S, Palinkas L. (1994). 'Betelmania' - Betel quid chewing by Cambodian women in the United States and its potential health effects. *West J Med*, 160, 326-330.

Rooney BL, Choudhary R, Bliss A. (2009). Social determinants of smoking among Hmong Americans residing in Wisconsin. *WMJ*, 108(9), 439-46.

Spigner C, Yip MP, Huang B, Tu SP. (2001). Chinese and Vietnamese adult male smokers' perspectives regarding facilitators of tobacco cessation behavior. *Asian Pacific Journal of Cancer Prevention*, 8(3), 429-35.

Tong E, Gildengorin G, Nguyen T, Tsoh J, Wong C, McPhee SJ. (2009). California Vietnamese Adult Tobacco Use Survey: Executive Summary. *University of California, San Francisco*.

Tong EK, Gildengorin G, Nguyen T, Tsoh J, Modayil M, Wong C, McPhee SJ. (2010). Smoking prevalence and factors associated with smoking status among Vietnamese in California. *Nicotine & Tobacco Research, 12(6)*, 613-621.

Tsoh JY, Tong EK, Gildengorin G, Nguyen TT, Modayil MV, Wong C, McPhee SJ. (2011). Individual and family factors associated with intention to quit among male Vietnamese American smokers: Implications for intervention development. *Addictive Behaviors, 36(4)*, 294-301.

Wiecha JM. (1996). Differences in patterns of tobacco use in Vietnamese, African-American, Hispanic, and Caucasian adolescents in Worcester, Massachusetts. *American Journal of Preventative Medicine, 12(1)*, 29-37.

Wiecha JM, Lee V, Hodgkins J. (1998). Patterns of smoking, risk factors for smoking, and smoking cessation among Vietnamese men in Massachusetts. *Tobacco Control, 7*, 27-34.

Wewers ME, Ahijevych KL, Dhatt RK, Guthrie RM, Kuun P, Mitchell L, Moeschberger ML, Chen MS Jr. (2000). Cotinine levels in Southeast Asian smokers. *Nicotine & Tobacco Research, 2(1)*, 85-91.

Wewers ME, Dhatt RK, Moeschberger ML, Guthrie RM, Kuun P, Chen MS. (1995). Misclassification of smoking status among Southeast Asian adult immigrants. *Am J Respir Crit Care Med, 152*, 1917-1921.

Yee BW, Nguyen DT. (1987). Correlates of drug use and abuse among Indochinese refugees: mental health implications. *J Psychoactive Drugs, 19(1)*, 77-83.